Drinking guidelines used in the context of early identification and brief interventions in Europe: overview of RARHA survey results

E. Scafato, C. Gandin, L. Galluzzo, S. Ghirini, S. Martire Istituto Superiore di Sanità, Italy



Co-funded by the Health Programme of the European Union





ISS Work Group and RARHA Italian National Team

RARHA NATIONAL TEAM MEMBERS and INSTITUTIONS

1	Bologna	Emanuela	ISTAT
2	Burgio	Alessandra	ISTAT
3	Ceccolini	Carla	Ministero della Salute
4	Crialesi	Roberta	ISTAT
5	Galluzzo	Lucia	Istituto Superiore di Sanità
6	Gandin	Claudia	Istituto Superiore di Sanità
7	Gargiulo	Lidia	ISTAT
8	Ghirini	Silvia	Istituto Superiore di Sanità
9	Ghiselli	Andrea	EX INRAN oggi CRA
10	Loghi	Marzia	ISTAT
11	Martire	Sonia	Istituto Superiore di Sanità
12	Quattrociocchi	Luciana	ISTAT
13	Sante	Orsini	ISTAT
14	Scafato	Emanuele	Istituto Superiore di Sanità
15	Spizzichino	Lorenzo	Ministero della salute
16	Tamburini	Cristina	Ministero della salute
17	Tinto	Alessandra	ISTAT
18	Vichi	Monica	Istituto Superiore di Sanità
19	Solipaca	Alessandro	ISTAT-Osservatorio sulle regioni
20	Ricciardi	Walter	Osservatorio sulle regioni
21	Carle	Flavia	Ministero della salute-SDO
22	Migliore	Maria	Ministero della salute









WP5: Outline of the work (tasks)



- 1. Overview of drinking guidelines given in MS and of their main features (ISS)
- 2. Overview of the use of drinking guidelines in the context of Early Identification and Brief Interventions (EIBI) on Hazardous/Harmful Alcohol Consumption (HHAC) in PHC and other settings, drawing in particular on projects ODHIN and BISTAIRS (ISS)
- 3. Overview of guidelines on drinking by young people (LWL)
- 4. Overview of science underpinnings drawing on recent work done for Australian and Canadian guidelines (THL)
- 5. Overview of "standard drink" definitions across the EU and of main approaches to increase awareness of such tools for monitoring alcohol consumption (HSE)
- 6. Mapping consumer views on risk/safety communication as an approach to reduce alcohol related harm by on-line surveys in 16 MS (EUROCARE)
- From science to practice: Expert/policymaker meeting (at ISS) to discuss preliminary results and conclusions from the overviews and to help develop a policy Delphi survey (THL)
- 8. Second Expert/policymaker meeting to foster dialogue on good practice principles in the use of drinking guidelines as a public health measure drawing on all previous tasks
- 9. Coordination and production of synthesis report (THL)





ISS Data collection



- The questionnaire has been submitted by email (July 2014) to the country representatives of the Committee on National Alcohol Policy and Action CNAPA as experts with qualified experience and competence on the specific topic
- ✓ Participants were asked to:
 - check the validity of the information derived from a preliminary ISS review of sources of information on the use of low risk drinking guidelines in EIBI (*"review of available sources"*)
 - provide the most updated and reliable information for their Country ("RARHA survey")
- Detailed instructions to fill in the Country report/Questionnaire, standardizing the data collection were provided
- The present version of this overview has been amended (May 2016) with all corrections suggested by respondents to the 2014 survey. Data on guidelines/recommendations issued after the data collection were not included.





The RARHA survey questionnaire



	RARH	IA WP5-Task2 Guidelines on e	arly ident	ification and br	ief interventio	n	
	Legend of review sources	: ODHIN Assessment tool report 2013 BISTAIRS Brief expert survey on the status qu WHO Status report on alcohol and Health in 35]				
	The different background colours X=Contradictory information amor	1					
	Investigated aspects Variables		Codes, categories and format		Review of available sources X	RARHA survey	
		Is there a formal governmental organization, or organization appointed/contracted by the government that has the responsability of prepairing	1=Yes 2=No 3=Inconsistent		1	1	
	Guidelines on early identification and brief	clinical guidelines for managing HHAC?			3		
	intervention for Hazardous and Harmful Alcohol Consumption (HHAC)	d Harmful guidelines for managing HHAC in your country that have been approved or endorsed by at least one health care professional body				1	
		or scientific societies? Are there guidelines or reccomandations for BI / Treatment	1=Yes		1	1	
	Other			Project BISTAIRS Brief Interventions in the Treatment of Alcohol use disorders in relevant settings			
	Optimizing Delive	ery of Health Care Interventions		Report on WP4 Survey results			Status Report on Alcohol an in 35 European C
The sources of available	ODHIN ASSE	(ODHIN) ESSMENT TOOL -REPORT		Dipl. Psych. Christiane Schmidt, Dipl. PH Bernd Schulte, Dr Ingo Schäfer, Dr Peter Degewitz, Dr Uwe Verthein, Prof Jens Reimer Con funded lyr, the Health Programme of the European Union			500
information are:	management alco	the available services for the of hazardous and harmful hol consumption ole D6.1, Work Package 6					
		Claudia Gandin Emanuele Scafato December 2013		Contact: Christian Spills Sonia Centra for Interdispilary Addiction Research, Handray University Department of Paylotary (VIT) University Spills Spills Hanness - 32. 2015 Handra Generary Ter (Handra 2014) 2016 Ter (Handra 2014) 2016		Christiane Sybille Schmidt	
		/resources/documents/cat_view/3-odhin- ical-reports-and-deliverables.html		http://www.bistairs.eu/m	aterial/WP4_BISTAI		http://www.euro.who.int/data/assets/pdf_file/0017/19 Report-on-Alcohol-and-Health-in-35-European-Countri
							SUPER



Drinking guidelines in EIBI in Europe: overview of RARHA survey results



nd Health Countries 2013



✓ 31 European countries addressed

(all RARHA associated and collaborating countries + 1 additional country*).

✓ 30 out of 31 European countries replied

(Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic*, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Norway, The Netherlands, Poland, Portugal, Romania, Slovenia, Spain, Sweden, Switzerland, United Kingdom).

✓ Slovakia did not reply





Drinking guidelines in EIBI context in EU countries



Country	Source				Is there a formal governmental organization, or organization appointed/contracted by the government that is responsable for preparing clinical guidelines for managing HHAC?			HHAC in your co endorsed by at	lisciplinary guideli ountry that have be least one health c or scientific socie	Guidelines or recommendations		
Country	NIHOO	BISTAIRS	WHO 2013	RARHA	1= Yes ; 2=No ; 3=Inconsistent			1= Yes ; 2=N	o ; 3=Inconsiste preparation	for BI / Treatment		
AUSTRIA						2	2		2	2		
BELGIUM					2	3	2	1	1	1		
BULGARIA							2			2		
CROATIA					1		1	1		1		
CYPRUS					1		1	2		2		
CZECH REPUBLIC					2	3	2	1	1	1	M	
DENMARK						1	1		3	2	M	
ESTONIA					2		1	2		1	M	
FINLAND					1	1	1	1	1	1	Ø	
FRANCE							1			1		
GERMANY					2	1	2	1	1	1	Ŋ	
GREECE					2	1	1	2	2	1	Ø	
HUNGARY							1			1	Ŋ	
ICELAND					1		1	1		1		
IRELAND					1	1	1	1	1	1		
ITALY					1	1	1	1	1	1	M	
LATVIA					1		1	1		1		
LITHUANIA						2	2		1	1		
LUXEMBOURG							2			2	Ø	
MALTA					1		1	2		2		
NETHERLANDS (THE)					1	1	1	1	1	1		
NORWAY							3			2		
POLAND					2	3	1	2	3	1		
PORTUGAL					1	1	1	1	4	1	M	
ROMANIA					2		2	2		2		
SLOVAKIA						2			2			
SLOVENIA					2		1	1		1		
SPAIN					1	1	1	1	1	1	M	
SWEDEN	_				1	3	1	1	1	1		
SWITZERLAND					2		2	1		1		
UNITED KINGDOM					1	1	1	1	1	1		





Drinking guidelines in EIBI in Europe: overview of RARHA survey results



1) Formal governmental organization(or similar) responsible for clinical guidelines for managing HHAC









Co-funded by the Health Programme of the European Union

Drinking guidelines in EIBI in Europe: overview of RARHA survey results

2) Multidisciplinary guidelines for managing HHAC in EU countries ...








Co-funded by the Health Programme of the European Union

Drinking guidelines in EIBI in Europe: overview of RARHA survey results

3) Guidelines or recommendations for BI / Treatment







Drinking guidelines are used in the context of early identification and brief interventions in Europe:

- The number of organizations formally appointed to develop clinical guidelines for managing HHAC has increased over time (20/31)
- ✓ The large majority of investigated countries (22/31) has multidisciplinary guidelines for managing HHAC
- Guidelines or recommendations specific for BI/ treatment are available in 22/31 EU countries





Drinking guidelines used in the context of early identification and brief interventions in Europe: overview of RARHA survey results

E. Scafato , C. Gandin, L. Galluzzo, S. Ghirini, S. Martire

Istituto Superiore di Sanità, Italy

E-mail: emanuele.scafato@iss.it

Website: <u>www.iss.it</u>





