

Questionnaire 2

- You should only choose one best alternative for each question unless it is specifically stated that you may choose more than one.
- There are further instructions for some questions.
- Remember to answer all questions. Enter negative answers by choosing the 'no' alternative or by writing '0' (zero) in the space given.

You can fill in the form using either a mouse or the keyboard. When using the keyboard, the tab key takes you to the next question and you can moved between the different response options using the arrow keys. For questions where you can select multiple options, use the space bar to select an option and the tab key to go to the next option. To go to the next page, press Enter.

HEALTH

- 1 . How is your health in general? Is it**
 - very good **ts221.health_now=1**
 - good **ts221.health_now=2**
 - fair **ts221.health_now=3**
 - poor **ts221.health_now=4**
 - very poor **ts221.health_now=5**
- 2 . Have you ever had your blood sugar level measured? When was the last time?**
 - during the last 6 months **ts221.bloodsugar_screening=1**
 - 6 months - 1 year ago **ts221.bloodsugar_screening=2**
 - 1 year - 5 years ago **ts221.bloodsugar_screening=3**
 - over 5 years ago **ts221.bloodsugar_screening=4**
 - never **ts221.bloodsugar_screening=5**
 - I do not know **ts221.bloodsugar_screening=6**
- 3 . Have you ever been diagnosed for diabetes? You can choose multiple options**
 - no **ts221.diabetes.set:1**
 - no, but I have been diagnosed for elevated blood glucose levels or prediabetes **ts221.diabetes.set:2**
 - yes, type 1 diabetes (childhood-onset diabetes) **ts221.diabetes.set:3**
 - yes, type 2 diabetes (adult-onset diabetes) **ts221.diabetes.set:4**
 - yes, but I don't know which type **ts221.diabetes.set:5**
 - yes, gestational diabetes **ts221.diabetes.set:6**
- 4 . When diagnosed for diabetes were you given one of the following treatments? You can choose multiple options**
 - lifestyle counselling only (diet, exercise, etc.) **ts221.diabetes_treatment22.set:1**
 - tablet treatment **ts221.diabetes_treatment22.set:2**
 - insulin treatment **ts221.diabetes_treatment22.set:3**
 - other injectable medicine **ts221.diabetes_treatment22.set:5**
 - none of the above **ts221.diabetes_treatment22.set:4**
- 5 . What prescription medicine do you use for diabetes? You can choose multiple options**
 - nothing **ts221.diabetes_medication22.set:1**
 - insulin **ts221.diabetes_medication22.set:2**
 - tablets **ts221.diabetes_medication22.set:3**
 - other injectable medicine **ts221.diabetes_medication22.set:5**
- 6 . Have you ever had your cholesterol level checked? When was the last time?**
 - during the last 6 months **ts221.cholesterol_screening=1**
 - 6 months - 1 year ago **ts221.cholesterol_screening=2**
 - 1 year - 5 years ago **ts221.cholesterol_screening=3**
 - over 5 years ago **ts221.cholesterol_screening=4**
 - never **ts221.cholesterol_screening=5**
 - I do not know **ts221.cholesterol_screening=6**
- 7 . Have you ever been diagnosed for high or elevated blood cholesterol level?**
 - no **ts221.cholesterol_high=1**
 - yes **ts221.cholesterol_high=2**
- 8 . Have you been given dietary instructions for lowering your cholesterol level?**
 - no **ts221.cholesterol_diet=1**
 - yes **ts221.cholesterol_diet=2**
- 9 . Have you ever had your blood pressure measured? When was the last time?**
 - during the last 6 months **ts221.hypertension_screening=1**
 - 6 months - 1 year ago **ts221.hypertension_screening=2**
 - 1 year - 5 years ago **ts221.hypertension_screening=3**
 - over 5 years ago **ts221.hypertension_screening=4**
 - never **ts221.hypertension_screening=5**
- 10 . Have you ever been diagnosed for high or elevated blood pressure?**
 - no **ts221.hypertension_high=1**
 - yes **ts221.hypertension_high=2**
- 11 . Have you ever used medicine for high blood pressure?**
 - no **ts221.hypertension_medication=1**
 - yes **ts221.hypertension_medication=2**

12 . When was the last time you took medicine for high blood pressure?

- today or yesterday **ts221.hypertension_medication_usage=1**
- 2 - 7 days ago **ts221.hypertension_medication_usage=2**
- 1 week - 6 months ago **ts221.hypertension_medication_usage=3**
- 6 months - 1 year ago **ts221.hypertension_medication_usage=4**
- 1 year - 5 years ago **ts221.hypertension_medication_usage=5**
- over 5 years ago **ts221.hypertension_medication_usage=6**

13 . Do you use a blood pressure monitor at home?

- daily **ts221.blood_pressure_home_meter=1**
- weekly **ts221.blood_pressure_home_meter=2**
- monthly **ts221.blood_pressure_home_meter=3**
- 2 to 4 times a year **ts221.blood_pressure_home_meter=4**
- once every year **ts221.blood_pressure_home_meter=5**
- never **ts221.blood_pressure_home_meter=6**

14 .
Has a doctor ever diagnosed you with?

	no	yes
a myocardial infarction, i.e., coronary thrombosis	<input type="radio"/> ts221.disease_multi_22.noyes:4=1	<input type="radio"/> ts221.disease_multi_22.noyes:4=2
a (cerebral) stroke, cerebral haemorrhage or cerebral thrombosis	<input type="radio"/> ts221.disease_multi_22.noyes:2=1	<input type="radio"/> ts221.disease_multi_22.noyes:2=2
memory disorder	<input type="radio"/> ts221.disease_multi_22.noyes:11=1	<input type="radio"/> ts221.disease_multi_22.noyes:11=2
Liver problems	<input type="radio"/> ts221.disease_multi_22.noyes:22=1	<input type="radio"/> ts221.disease_multi_22.noyes:22=2
sleep apnoea	<input type="radio"/> ts221.disease_multi_22.noyes:23=1	<input type="radio"/> ts221.disease_multi_22.noyes:23=2

15 .
Has your risk of developing the following diseases been assessed in the past 12 months?

	no	yes
a memory disorder, for example, using the risk test for memory disorders	<input type="radio"/> ts221.illness_evaluation.noyes:1=1	<input type="radio"/> ts221.illness_evaluation.noyes:1=2
diabetes, for example, using the risk test for diabetes or measuring the blood sugar values	<input type="radio"/> ts221.illness_evaluation.noyes:2=1	<input type="radio"/> ts221.illness_evaluation.noyes:2=2
heart disease, using for example the FINRISK calculator	<input type="radio"/> ts221.illness_evaluation.noyes:3=1	<input type="radio"/> ts221.illness_evaluation.noyes:3=2

16 .
During the past 12 months, have you had any of the following symptoms or complaints?

	not at all	occasionally	weekly	daily or all
headache	<input type="radio"/> ts221.symptoms_last_year.set:2=1	<input type="radio"/> ts221.symptoms_last_year.set:2=2	<input type="radio"/> ts221.symptoms_last_year.set:2=3	<input type="radio"/> ts221.s
constipation	<input type="radio"/> ts221.symptoms_last_year.set:5=1	<input type="radio"/> ts221.symptoms_last_year.set:5=2	<input type="radio"/> ts221.symptoms_last_year.set:5=3	<input type="radio"/> ts221.s
urinary incontinence, problems in controlling the bladder	<input type="radio"/> ts221.symptoms_last_year.set:6=1	<input type="radio"/> ts221.symptoms_last_year.set:6=2	<input type="radio"/> ts221.symptoms_last_year.set:6=3	<input type="radio"/> ts221.s
faecal incontinence, problems in controlling the bowel movements	<input type="radio"/> ts221.symptoms_last_year.set:14=1	<input type="radio"/> ts221.symptoms_last_year.set:14=2	<input type="radio"/> ts221.symptoms_last_year.set:14=3	<input type="radio"/> ts221.s
hot flashes	<input type="radio"/> ts221.symptoms_last_year.set:10=1	<input type="radio"/> ts221.symptoms_last_year.set:10=2	<input type="radio"/> ts221.symptoms_last_year.set:10=3	<input type="radio"/> ts221.s
night sweating	<input type="radio"/> ts221.symptoms_last_year.set:11=1	<input type="radio"/> ts221.symptoms_last_year.set:11=2	<input type="radio"/> ts221.symptoms_last_year.set:11=3	<input type="radio"/> ts221.s
bad breath (halitosis or malodor)	<input type="radio"/> ts221.symptoms_last_year.set:12=1	<input type="radio"/> ts221.symptoms_last_year.set:12=2	<input type="radio"/> ts221.symptoms_last_year.set:12=3	<input type="radio"/> ts221.s
dry mouth	<input type="radio"/> ts221.symptoms_last_year.set:13=1	<input type="radio"/> ts221.symptoms_last_year.set:13=2	<input type="radio"/> ts221.symptoms_last_year.set:13=3	<input type="radio"/> ts221.s
fluctuating fatigue	<input type="radio"/> ts221.symptoms_last_year.set:15=1	<input type="radio"/> ts221.symptoms_last_year.set:15=2	<input type="radio"/> ts221.symptoms_last_year.set:15=3	<input type="radio"/> ts221.s

17 . In adulthood, have you been diagnosed with a bone fracture that has emerged on its own or as a result of a small accident that would usually not cause a fracture?

- no **ts221.fracture_adult=1**
- yes **ts221.fracture_adult=2**

18 . Have you had any migraine attacks (mild, moderate or severe) in the past 12 months?

- none **ts221.headache=1**
- less than once a month **ts221.headache=2**
- 1-7 attacks a month **ts221.headache=3**
- 8-14 attacks a month **ts221.headache=4**
- more than 15 attacks a month **ts221.headache=5**

19 .

How often have you taken the following medicines in the past 30 days?

	seldom or never	occasionally	daily or almost daily
Painkillers	<input type="radio"/> ts221.medication22.use:12=1	<input type="radio"/> ts221.medication22.use:12=2	<input type="radio"/> ts221.medication22.use:12=3
Medicines preventing headache	<input type="radio"/> ts221.medication22.use:14=1	<input type="radio"/> ts221.medication22.use:14=2	<input type="radio"/> ts221.medication22.use:14=3
Sleeping pills	<input type="radio"/> ts221.medication22.use:4=1	<input type="radio"/> ts221.medication22.use:4=2	<input type="radio"/> ts221.medication22.use:4=3
Tranquillizers	<input type="radio"/> ts221.medication22.use:5=1	<input type="radio"/> ts221.medication22.use:5=2	<input type="radio"/> ts221.medication22.use:5=3
Acetylsalicylic acid to prevent thrombosis (e.g. Aspirin, Disperin, Primaspan)	<input type="radio"/> ts221.medication22.use:9=1	<input type="radio"/> ts221.medication22.use:9=2	<input type="radio"/> ts221.medication22.use:9=3
Cortisone cream or lotion on the skin	<input type="radio"/> ts221.medication22.use:13=1	<input type="radio"/> ts221.medication22.use:13=2	<input type="radio"/> ts221.medication22.use:13=3

Comments on the questions on this page:

ts221.marginal_notes.note:2

20 . Have you been ill with coronavirus?

- no ts221.corona_yn=1
- yes, once ts221.corona_yn=2
- yes, at least twice ts221.corona_yn=3
- cannot say ts221.corona_yn=4

21 . When were you ill with coronavirus? You can choose multiple options

- in 2020 ts221.corona_when.option:1
- in 2021 ts221.corona_when.option:2
- in 2022 ts221.corona_when.option:3
- in 2023 ts221.corona_when.option:4

22 . How was coronavirus diagnosed? If you have had several infections, think about the first one. You can choose several options.

- with a home test ts221.corona_diagnose.option:1
- with a test conducted in healthcare ts221.corona_diagnose.option:2
- I had symptoms consistent with coronavirus ts221.corona_diagnose.option:3

23 .

What is your opinion of the following statements?

	completely agree	somewhat agree	neither agree nor disagree	somewhat disagree
I have a positive attitude to vaccinations.	<input type="radio"/> ts221.vaccine_hesitation.noyes:1=1	<input type="radio"/> ts221.vaccine_hesitation.noyes:1=2	<input type="radio"/> ts221.vaccine_hesitation.noyes:1=3	<input type="radio"/> ts221.vaccine_hesitation.noyes:1=4
I have been hesitant to get a vaccine prescribed to me because I did not have enough information about the safety of vaccinations.	<input type="radio"/> ts221.vaccine_hesitation.noyes:2=1	<input type="radio"/> ts221.vaccine_hesitation.noyes:2=2	<input type="radio"/> ts221.vaccine_hesitation.noyes:2=3	<input type="radio"/> ts221.vaccine_hesitation.noyes:2=4
I have hesitated to get vaccines because I am afraid of needles or injections.	<input type="radio"/> ts221.vaccine_hesitation.noyes:3=1	<input type="radio"/> ts221.vaccine_hesitation.noyes:3=2	<input type="radio"/> ts221.vaccine_hesitation.noyes:3=3	<input type="radio"/> ts221.vaccine_hesitation.noyes:3=4

24 . Have you had any of the following symptoms in the past 30 days? You may choose one or more alternatives.

- back pain ts221.pain_multi.diagnosis:1
- pain at the back of the neck ts221.pain_multi.diagnosis:2
- shoulder pain ts221.pain_multi.diagnosis:3
- limping or difficulty walking because of a hip complaint or defect ts221.pain_multi.diagnosis:4
- limping or difficulty walking of a knee complaint or defect ts221.pain_multi.diagnosis:5
- none of the above ts221.pain_multi.diagnosis:6

25 . Have you been ill with shingles diagnosed by a doctor in the past five years?

- no ts221.shingles=1
- yes ts221.shingles=2

How many times? ts221.shingles_times_txt times In which year were you last ill with shingles?

ts221.shingles_year_txt year

- I don't remember or don't know ts221.shingles=3

26 . Because of shingles, have you ever had to... You can choose multiple options

- be absent from work? ts221.shingles_yes.set:1
- contact a nurse or a doctor by phone? ts221.shingles_yes.set:2
- make an appointment with a nurse? ts221.shingles_yes.set:3
- make an appointment with a doctor? ts221.shingles_yes.set:4
- be hospitalised? ts221.shingles_yes.set:5

27 .
Have you ever had any of the following?

	no	yes, within the past 12 months	yes, the last time was more than one year ago
hay fever or other allergic nose symptoms	<input type="radio"/> ts221.allergic_symptoms_multi.set:1=1	<input type="radio"/> ts221.allergic_symptoms_multi.set:1=2	<input type="radio"/> ts221.allergic_symptoms_multi.set:1=3
allergic eye symptoms	<input type="radio"/> ts221.allergic_symptoms_multi.set:2=1	<input type="radio"/> ts221.allergic_symptoms_multi.set:2=2	<input type="radio"/> ts221.allergic_symptoms_multi.set:2=3
an itchy rash that has been called infantile atopic dermatitis, Besnier's prurigo or atopic eczema	<input type="radio"/> ts221.allergic_symptoms_multi.set:3=1	<input type="radio"/> ts221.allergic_symptoms_multi.set:3=2	<input type="radio"/> ts221.allergic_symptoms_multi.set:3=3

28 . Have you had any of the following in the past 12 months? You may choose one or more alternatives.

- shortness of breath **ts221.dyspnoea.set:1**
- your breathing has made a wheezing or hissing sound when you have not had a flu or a respiratory tract infection **ts221.dyspnoea.set:2**
- your breathing has felt so heavy that it has woken you up **ts221.dyspnoea.set:3**
- an asthma attack **ts221.dyspnoea.set:4**
- none of the above **ts221.dyspnoea.set:5**

29 . Do you usually cough phlegm when waking up on winter mornings?

- no **ts221.sputum_winter_morning=1**
- yes **ts221.sputum_winter_morning=2**

30 . Do you usually cough phlegm during the day or at night during winter?

- no **ts221.sputum_winter_day_and_night=1**
- yes **ts221.sputum_winter_day_and_night=2**

31 . Do you cough phlegm on most days or nights for at least 3 months yearly?

- no **ts221.sputum_3_month=1**
- yes **ts221.sputum_3_month=2**

32 .
Have you ever

	no	yes, over the past 12 months	yes, most recently over a year ago
had symptoms caused by the indoor air in your home?	<input type="radio"/> ts221.indoor_air_symptom.set:1=1	<input type="radio"/> ts221.indoor_air_symptom.set:1=2	<input type="radio"/> ts221.indoor_air_symptom.set:1=3
had symptoms caused by the indoor air at your workplace?	<input type="radio"/> ts221.indoor_air_symptom.set:2=1	<input type="radio"/> ts221.indoor_air_symptom.set:2=2	<input type="radio"/> ts221.indoor_air_symptom.set:2=3
been examined or treated by a doctor because of symptoms or poor health suspected to have been caused primarily by poor indoor air?	<input type="radio"/> ts221.indoor_air_symptom.set:3=1	<input type="radio"/> ts221.indoor_air_symptom.set:3=2	<input type="radio"/> ts221.indoor_air_symptom.set:3=3

If you have not had any symptoms caused by indoor air, proceed to question. 34 .

33 . Have symptoms caused by indoor air made your work, household chores or interaction with other people more difficult in the past 12 months?

- not at all **ts221.indoor_air_symptom_diffic=1**
- fairly little **ts221.indoor_air_symptom_diffic=2**
- fairly well **ts221.indoor_air_symptom_diffic=3**
- quite a lot **ts221.indoor_air_symptom_diffic=4**
- very much **ts221.indoor_air_symptom_diffic=5**

34 . Under each heading, please tick the ONE box that best describes your health TODAY .

Mobility

- I have no problems in walking about **ts221.motion=1**
- I have slight problems in walking about **ts221.motion=2**
- I have moderate problems in walking about **ts221.motion=3**
- I have severe problems in walking about **ts221.motion=4**
- I am unable to walk about **ts221.motion=5**

Self-care

- I have no problems washing or dressing myself **ts221.caretaking=1**
- I have slight problems washing or dressing myself **ts221.caretaking=2**
- I have moderate problems washing or dressing myself **ts221.caretaking=3**
- I have severe problems washing or dressing myself **ts221.caretaking=4**

- I am unable to wash or dress myself **ts221.caretaking=5**
- Usual activities (e.g. work, study, housework, family or leisure activities)**
- I have no problems doing my usual activities **ts221.everyday_activities=1**
- I have slight problems doing my usual activities **ts221.everyday_activities=2**
- I have moderate problems doing my usual activities **ts221.everyday_activities=3**
- I have severe problems doing my usual activities **ts221.everyday_activities=4**
- I am unable to do my usual activities **ts221.everyday_activities=5**

Pain / discomfort

- I have no pain or discomfort **ts221.pain_discomfort=1**
- I have slight pain or discomfort **ts221.pain_discomfort=2**
- I have moderate pain or discomfort **ts221.pain_discomfort=3**
- I have severe pain or discomfort **ts221.pain_discomfort=4**
- I have extreme pain or discomfort **ts221.pain_discomfort=5**

Anxiety / depression

- I am not anxious or depressed **ts221.anxiety_depression=1**
- I am slightly anxious or depressed **ts221.anxiety_depression=2**
- I am moderately anxious or depressed **ts221.anxiety_depression=3**
- I am severely anxious or depressed **ts221.anxiety_depression=4**
- I am extremely anxious or depressed **ts221.anxiety_depression=5**

35 . We would like to know how good or bad your health is TODAY.

You will see a scale numbered from 0 to 100.


100 means the best health you can imagine.

0 means the worst health you can imagine.

Please indicate on the scale how your health is TODAY.

Now, write the number you marked on the scale in the "Your health today" box.

The best health
you can imagine



The worst health
you can imagine

Your health today = **ts221.health_scale_txt**

© EuroQol Research Foundation. EQ-5D™ is a trade mark of the EuroQol Research Foundation. UK (English) v1.0

36 .

Has your mother and/or father been diagnosed for...

	no	yes	I don't know
myocardial infarction when he was under 60 years	<input type="radio"/> ts221.diseases_parents.options:1=1	<input type="radio"/> ts221.diseases_parents.options:1=2	<input type="radio"/> ts221.diseases_parents.options:1=3

	no	yes	I don't know
myocardial infarction when he was over 60 years	<input type="radio"/> ts221.diseases_parents.options:2=1	<input type="radio"/> ts221.diseases_parents.options:2=2	<input type="radio"/> ts221.diseases_parents.options:2=3
stroke when he was under 75 years	<input type="radio"/> ts221.diseases_parents.options:3=1	<input type="radio"/> ts221.diseases_parents.options:3=2	<input type="radio"/> ts221.diseases_parents.options:3=3
diabetes	<input type="radio"/> ts221.diseases_parents.options:4=1	<input type="radio"/> ts221.diseases_parents.options:4=2	<input type="radio"/> ts221.diseases_parents.options:4=3
elevated blood pressure, hypertension	<input type="radio"/> ts221.diseases_parents.options:5=1	<input type="radio"/> ts221.diseases_parents.options:5=2	<input type="radio"/> ts221.diseases_parents.options:5=3
asthma	<input type="radio"/> ts221.diseases_parents.options:6=1	<input type="radio"/> ts221.diseases_parents.options:6=2	<input type="radio"/> ts221.diseases_parents.options:6=3
cancer	<input type="radio"/> ts221.diseases_parents.options:7=1	<input type="radio"/> ts221.diseases_parents.options:7=2	<input type="radio"/> ts221.diseases_parents.options:7=3
liver problem	<input type="radio"/> ts221.diseases_parents.options:10=1	<input type="radio"/> ts221.diseases_parents.options:10=2	<input type="radio"/> ts221.diseases_parents.options:10=3
mental health disorder	<input type="radio"/> ts221.diseases_parents.options:8=1	<input type="radio"/> ts221.diseases_parents.options:8=2	<input type="radio"/> ts221.diseases_parents.options:8=3
memory disorder	<input type="radio"/> ts221.diseases_parents.options:11=1	<input type="radio"/> ts221.diseases_parents.options:11=2	<input type="radio"/> ts221.diseases_parents.options:11=3
substance abuse problem	<input type="radio"/> ts221.diseases_parents.options:9=1	<input type="radio"/> ts221.diseases_parents.options:9=2	<input type="radio"/> ts221.diseases_parents.options:9=3
hip fracture	<input type="radio"/> ts221.diseases_parents.options:12=1	<input type="radio"/> ts221.diseases_parents.options:12=2	<input type="radio"/> ts221.diseases_parents.options:12=3

37 . Is the condition of your teeth and the health of your mouth at present...

- good ts221.teeth_condition=1
- rather good ts221.teeth_condition=2
- moderate ts221.teeth_condition=3
- rather poor ts221.teeth_condition=4
- poor ts221.teeth_condition=5

Comments on the questions on this page: ts221.marginal_notes.note:3

WORKING AND FUNCTIONAL CAPACITY

38 .

Assuming that the best working capacity you have ever had would score 10 on a scale of 0 to 10, how would you score your working capacity? Please tick the number that best applies to your working capacity.

No working capacity	0	1	2	3
	<input type="radio"/> ts221.ability_work_scale.score:1=0	<input type="radio"/> ts221.ability_work_scale.score:1=1	<input type="radio"/> ts221.ability_work_scale.score:1=2	<input type="radio"/> ts221.ability_w

39 . How many whole days have you been absent from work or unable to perform your regular tasks during the past year (12 months)? If none, answer 0. ts221.absent_work_days days

40 .

Do you have difficulty...

	no difficulty	some difficulty	a lot of difficulty	cannot do at all
seeing? (If you use glasses or contact lenses, assess your vision with wearing them)	<input type="radio"/> ts221.ability_restrictions.set:1=1	<input type="radio"/> ts221.ability_restrictions.set:1=2	<input type="radio"/> ts221.ability_restrictions.set:1=3	<input type="radio"/> ts221.ability_rest
walking or climbing steps?	<input type="radio"/> ts221.ability_restrictions.set:2=1	<input type="radio"/> ts221.ability_restrictions.set:2=2	<input type="radio"/> ts221.ability_restrictions.set:2=3	<input type="radio"/> ts221.ability_rest
remembering or concentrating?	<input type="radio"/> ts221.ability_restrictions.set:3=1	<input type="radio"/> ts221.ability_restrictions.set:3=2	<input type="radio"/> ts221.ability_restrictions.set:3=3	<input type="radio"/> ts221.ability_rest
with self-care such as washing all over or dressing?	<input type="radio"/> ts221.ability_restrictions.set:4=1	<input type="radio"/> ts221.ability_restrictions.set:4=2	<input type="radio"/> ts221.ability_restrictions.set:4=3	<input type="radio"/> ts221.ability_rest
communicating when using your usual language, for example understanding or being understood?	<input type="radio"/> ts221.ability_restrictions.set:5=1	<input type="radio"/> ts221.ability_restrictions.set:5=2	<input type="radio"/> ts221.ability_restrictions.set:5=3	<input type="radio"/> ts221.ability_rest

41 . Do you have difficulty hearing? (If you use a hearing aid, assess your hearing wearing it)

- no difficulty ts221.hearing_impairment=1

- some difficulty **ts221.hearing_impairment=2**
- a lot of difficulty **ts221.hearing_impairment=3**
- cannot do at all **ts221.hearing_impairment=4**

42 . Does the difficulty hearing restrict your everyday life?

- no **ts221.hearing_restrictions=1**
- yes, a little **ts221.hearing_restrictions=2**
- yes, a lot **ts221.hearing_restrictions=3**

43 . Has anyone close to you suspected that your hearing has deteriorated over the past 12 months?

- no **ts221.hearing_suspection=1**
- yes **ts221.hearing_suspection=2**

44 .

How easy do find the following matters?

	very difficult	fairly difficult	fairly easy	very ea
Finding out where to get professional help when you are ill (e.g., doctor, nurse, pharmacist, psychologist)	<input type="radio"/> ts221.healthcare_skills.options:1=1	<input type="radio"/> ts221.healthcare_skills.options:1=2	<input type="radio"/> ts221.healthcare_skills.options:1=3	<input type="radio"/> ts22
Understanding information about what to do in a medical emergency	<input type="radio"/> ts221.healthcare_skills.options:2=1	<input type="radio"/> ts221.healthcare_skills.options:2=2	<input type="radio"/> ts221.healthcare_skills.options:2=3	<input type="radio"/> ts22
Judging the advantages and disadvantages of different treatment options	<input type="radio"/> ts221.healthcare_skills.options:3=1	<input type="radio"/> ts221.healthcare_skills.options:3=2	<input type="radio"/> ts221.healthcare_skills.options:3=3	<input type="radio"/> ts22
Acting on advice from your doctor or pharmacist	<input type="radio"/> ts221.healthcare_skills.options:4=1	<input type="radio"/> ts221.healthcare_skills.options:4=2	<input type="radio"/> ts221.healthcare_skills.options:4=3	<input type="radio"/> ts22
Finding information on how to handle mental health problems such as stress or depression	<input type="radio"/> ts221.healthcare_skills.options:5=1	<input type="radio"/> ts221.healthcare_skills.options:5=2	<input type="radio"/> ts221.healthcare_skills.options:5=3	<input type="radio"/> ts22
Understanding information about recommended health screenings or examinations (e.g., cancer screenings, blood sugar measurements)	<input type="radio"/> ts221.healthcare_skills.options:6=1	<input type="radio"/> ts221.healthcare_skills.options:6=2	<input type="radio"/> ts221.healthcare_skills.options:6=3	<input type="radio"/> ts22
Judging if information on unhealthy habits, such as smoking, low physical activity or drinking too much alcohol, is reliable	<input type="radio"/> ts221.healthcare_skills.options:7=1	<input type="radio"/> ts221.healthcare_skills.options:7=2	<input type="radio"/> ts221.healthcare_skills.options:7=3	<input type="radio"/> ts22
Deciding how you can protect yourself from illness using information from the mass media (e.g., newspapers, TV or internet)	<input type="radio"/> ts221.healthcare_skills.options:8=1	<input type="radio"/> ts221.healthcare_skills.options:8=2	<input type="radio"/> ts221.healthcare_skills.options:8=3	<input type="radio"/> ts22
Finding information on healthy	<input type="radio"/> ts221.healthcare_skills.options:9=1	<input type="radio"/> ts221.healthcare_skills.options:9=2	<input type="radio"/> ts221.healthcare_skills.options:9=3	<input type="radio"/> ts22

	very difficult	fairly difficult	fairly easy	very ea
lifestyles such as physical activity, healthy food or nutrition				
Understanding advice concerning your health from family or friends	<input type="radio"/> ts221.healthcare_skills.options:10=1	<input type="radio"/> ts221.healthcare_skills.options:10=2	<input type="radio"/> ts221.healthcare_skills.options:10=3	<input type="radio"/> ts22
Judging how your housing conditions may affect your health and well-being	<input type="radio"/> ts221.healthcare_skills.options:11=1	<input type="radio"/> ts221.healthcare_skills.options:11=2	<input type="radio"/> ts221.healthcare_skills.options:11=3	<input type="radio"/> ts22
Making decisions to improve your health and well-being	<input type="radio"/> ts221.healthcare_skills.options:12=1	<input type="radio"/> ts221.healthcare_skills.options:12=2	<input type="radio"/> ts221.healthcare_skills.options:12=3	<input type="radio"/> ts22

Comments on the questions on this page: ts221.marginal_notes.note:4

WEIGHT

45 . Do you consider yourself...

- too thin ts221.weight_opinion=1
- a little too thin ts221.weight_opinion=2
- normal ts221.weight_opinion=3
- a little overweight ts221.weight_opinion=4
- too much overweight ts221.weight_opinion=5

46 . Has your weight changed in the past 12 months?

- no ts221.weight_change=1
- yes, I have put on weight ts221.weight_change=2
 ts221.weight_up_txt kg
- yes, I have lost weight ts221.weight_change=3
 ts221.weight_diet_txt kg

47 . Have you tried to lose weight in the past 12 months?

- no ts221.weight_losing_12m=1
- yes, but I did not succeed ts221.weight_losing_12m=2
- yes, and I did lose weight, but some kilos have come back ts221.weight_losing_12m=3
- yes, and I have managed to keep the weight I reached ts221.weight_losing_12m=4

48 . In the past 10 years, have you alternately lost weight and put it on again (meaning yo-yo dieting)?

- no ts221.weight_jojo=1
- yes, once or twice ts221.weight_jojo=2
- yes, several times or constantly ts221.weight_jojo=3

49 .

How do you find the following factors have affected you weight management in the past 12 months?

	made it easier	no impact, I don't know	made it more diffic
an illness or a health issue	<input type="radio"/> ts221.weight_management_drawback.options:1=1	<input type="radio"/> ts221.weight_management_drawback.options:1=2	<input type="radio"/> ts221.weight_ma
hereditary factors (genes)	<input type="radio"/> ts221.weight_management_drawback.options:2=1	<input type="radio"/> ts221.weight_management_drawback.options:2=2	<input type="radio"/> ts221.weight_ma
attitudes of people in your close circles	<input type="radio"/> ts221.weight_management_drawback.options:3=1	<input type="radio"/> ts221.weight_management_drawback.options:3=2	<input type="radio"/> ts221.weight_ma
advertisements, media	<input type="radio"/> ts221.weight_management_drawback.options:4=1	<input type="radio"/> ts221.weight_management_drawback.options:4=2	<input type="radio"/> ts221.weight_ma
financial situation, e.g., the price of healthy food or physically active hobbies	<input type="radio"/> ts221.weight_management_drawback.options:5=1	<input type="radio"/> ts221.weight_management_drawback.options:5=2	<input type="radio"/> ts221.weight_ma
previous experiences of weight management and dieting	<input type="radio"/> ts221.weight_management_drawback.options:6=1	<input type="radio"/> ts221.weight_management_drawback.options:6=2	<input type="radio"/> ts221.weight_ma

	made it easier	no impact, I don't know	made it more difficult
life situation (e.g., time management in daily life)	<input type="radio"/> ts221.weight_management_drawback.options:7=1	<input type="radio"/> ts221.weight_management_drawback.options:7=2	<input type="radio"/> ts221.weight_ma
food habits and preferences	<input type="radio"/> ts221.weight_management_drawback.options:8=1	<input type="radio"/> ts221.weight_management_drawback.options:8=2	<input type="radio"/> ts221.weight_ma
knowledge and skills	<input type="radio"/> ts221.weight_management_drawback.options:9=1	<input type="radio"/> ts221.weight_management_drawback.options:9=2	<input type="radio"/> ts221.weight_ma

50 . Have you encountered inappropriate treatment because of your weight in the past 12 months?

- no ts221.weight_discrimination=1
- yes, once or twice ts221.weight_discrimination=2
- yes, several times or constantly ts221.weight_discrimination=3

51 . In your opinion, what should society do to prevent obesity from becoming any more common in Finland? You can choose multiple options

- Foods and drinks containing plenty of sugar should be taxed more heavily than currently ts221.obesity_society.set:1
- Foods containing plenty of fat should be taxed more heavily than currently ts221.obesity_society.set:2
- Quantity discounts of unhealthy foods should be prohibited ts221.obesity_society.set:3
- Food packaging should indicate clearly how recommendable the food is from the point of view of health ts221.obesity_society.set:4
- In shops, unhealthy foods (e.g., sweets) should be moved away from near the tills ts221.obesity_society.set:5
- The availability of fast food should be limited, for example, by regulating the number or the opening hours of the restaurants ts221.obesity_society.set:6
- The advertising of unhealthy foods should be limited (e.g., in connection with children's programmes) ts221.obesity_society.set:7
- Participation in weight management groups should be made easier than currently (e.g., free groups) ts221.obesity_society.set:8
- The food industry should modify foods into healthier versions ts221.obesity_society.set:9
- The package sizes of unhealthy foods should be reduced ts221.obesity_society.set:10
- Opportunities for incidental exercise should be increased (e.g., more routes for bicycle and pedestrian traffic) ts221.obesity_society.set:11
- The quality of the food served in food services (e.g., schools, workplaces, service for the elderly) should be improved even if it cost more ts221.obesity_society.set:12

52 . How much did you weigh when you were about 20? (An estimate suffices) ts221.weight_at_age20 kg

WELL-BEING

53 . Over the last 2 weeks, how often have you been bothered by any of the following problems?

	not at all	several days	more than half the days	nearly every day
Little interest or pleasure in doing things	<input type="radio"/> ts221.mentalhealth_phq9.x:1=1	<input type="radio"/> ts221.mentalhealth_phq9.x:1=2	<input type="radio"/> ts221.mentalhealth_phq9.x:1=3	<input type="radio"/> ts221.mentalhealth_
Feeling down, depressed, or hopeless	<input type="radio"/> ts221.mentalhealth_phq9.x:2=1	<input type="radio"/> ts221.mentalhealth_phq9.x:2=2	<input type="radio"/> ts221.mentalhealth_phq9.x:2=3	<input type="radio"/> ts221.mentalhealth_
Trouble falling or staying asleep, or sleeping too much	<input type="radio"/> ts221.mentalhealth_phq9.x:3=1	<input type="radio"/> ts221.mentalhealth_phq9.x:3=2	<input type="radio"/> ts221.mentalhealth_phq9.x:3=3	<input type="radio"/> ts221.mentalhealth_
Feeling tired or having little energy	<input type="radio"/> ts221.mentalhealth_phq9.x:4=1	<input type="radio"/> ts221.mentalhealth_phq9.x:4=2	<input type="radio"/> ts221.mentalhealth_phq9.x:4=3	<input type="radio"/> ts221.mentalhealth_
Poor appetite or overeating	<input type="radio"/> ts221.mentalhealth_phq9.x:5=1	<input type="radio"/> ts221.mentalhealth_phq9.x:5=2	<input type="radio"/> ts221.mentalhealth_phq9.x:5=3	<input type="radio"/> ts221.mentalhealth_
Feeling bad about yourself – or that you are a failure or have let yourself or your family down	<input type="radio"/> ts221.mentalhealth_phq9.x:6=1	<input type="radio"/> ts221.mentalhealth_phq9.x:6=2	<input type="radio"/> ts221.mentalhealth_phq9.x:6=3	<input type="radio"/> ts221.mentalhealth_
Trouble concentrating on things, such as reading the newspaper or watching television	<input type="radio"/> ts221.mentalhealth_phq9.x:7=1	<input type="radio"/> ts221.mentalhealth_phq9.x:7=2	<input type="radio"/> ts221.mentalhealth_phq9.x:7=3	<input type="radio"/> ts221.mentalhealth_
Moving or speaking so slowly that	<input type="radio"/> ts221.mentalhealth_phq9.x:8=1	<input type="radio"/> ts221.mentalhealth_phq9.x:8=2	<input type="radio"/> ts221.mentalhealth_phq9.x:8=3	<input type="radio"/> ts221.mentalhealth_

	not at all	several days	more than half the days	nearly every day
other people could have noticed? Or the opposite – being so fidgety or restless that you have been moving around a lot more than usual				
Thoughts that you would be better off dead, or of hurting yourself in some way	<input type="radio"/> ts221.mentalhealth_phq9.x:9=1	<input type="radio"/> ts221.mentalhealth_phq9.x:9=2	<input type="radio"/> ts221.mentalhealth_phq9.x:9=3	<input type="radio"/> ts221.mentalhealth_

54 .

Over the last 2 weeks, how often have you been bothered by any of the following problems?

	not at all	several days	more than half the days	nearly every day
Feeling nervous, anxious, or on edge	<input type="radio"/> ts221.mentalhealth_gad7.x:1=1	<input type="radio"/> ts221.mentalhealth_gad7.x:1=2	<input type="radio"/> ts221.mentalhealth_gad7.x:1=3	<input type="radio"/> ts221.mentalhealth_gad
Not being able to stop or control worrying	<input type="radio"/> ts221.mentalhealth_gad7.x:2=1	<input type="radio"/> ts221.mentalhealth_gad7.x:2=2	<input type="radio"/> ts221.mentalhealth_gad7.x:2=3	<input type="radio"/> ts221.mentalhealth_gad
Worrying too much about different things	<input type="radio"/> ts221.mentalhealth_gad7.x:3=1	<input type="radio"/> ts221.mentalhealth_gad7.x:3=2	<input type="radio"/> ts221.mentalhealth_gad7.x:3=3	<input type="radio"/> ts221.mentalhealth_gad
Trouble relaxing	<input type="radio"/> ts221.mentalhealth_gad7.x:4=1	<input type="radio"/> ts221.mentalhealth_gad7.x:4=2	<input type="radio"/> ts221.mentalhealth_gad7.x:4=3	<input type="radio"/> ts221.mentalhealth_gad
Being so restless that it's hard to sit still	<input type="radio"/> ts221.mentalhealth_gad7.x:5=1	<input type="radio"/> ts221.mentalhealth_gad7.x:5=2	<input type="radio"/> ts221.mentalhealth_gad7.x:5=3	<input type="radio"/> ts221.mentalhealth_gad
Becoming easily annoyed or irritable	<input type="radio"/> ts221.mentalhealth_gad7.x:6=1	<input type="radio"/> ts221.mentalhealth_gad7.x:6=2	<input type="radio"/> ts221.mentalhealth_gad7.x:6=3	<input type="radio"/> ts221.mentalhealth_gad
Feeling afraid as if something awful might happen	<input type="radio"/> ts221.mentalhealth_gad7.x:7=1	<input type="radio"/> ts221.mentalhealth_gad7.x:7=2	<input type="radio"/> ts221.mentalhealth_gad7.x:7=3	<input type="radio"/> ts221.mentalhealth_gad

55 . How satisfied are you with your economic situation?

- very satisfied ts221.financial_status=1
- satisfied ts221.financial_status=2
- somewhat satisfied ts221.financial_status=3
- unsatisfied ts221.financial_status=4
- very unsatisfied ts221.financial_status=5

56 . How satisfied are you with your accomplishments in life?

- very satisfied ts221.achievements_in_life=1
- satisfied ts221.achievements_in_life=2
- somewhat satisfied ts221.achievements_in_life=3
- unsatisfied ts221.achievements_in_life=4
- very unsatisfied ts221.achievements_in_life=5

57 . How satisfied are you with your family life?

- very satisfied ts221.family_life=1
- satisfied ts221.family_life=2
- somewhat satisfied ts221.family_life=3
- unsatisfied ts221.family_life=4
- very unsatisfied ts221.family_life=5
- I do not have a family ts221.family_life=0

58 . Do you currently have a close friend with whom you can talk confidentially about almost any issues concerning yourself?

- I don't have any close friends **ts221.confidential_friend22=1**
- I have one close friend **ts221.confidential_friend22=2**
- I have two or more close friends **ts221.confidential_friend22=3**

Did you have any of the following experiences when you were a child (aged under 18)? You may find answering some of the questions hard.

59 .
Anywhere, at home or elsewhere:

	never	rarely	sometimes
I was bullied	<input type="radio"/> ts221.childhood_experiences.option:1=1	<input type="radio"/> ts221.childhood_experiences.option:1=2	<input type="radio"/> ts221.childhood_experiences.option:1=3
I was a target of physical violence	<input type="radio"/> ts221.childhood_experiences.option:2=1	<input type="radio"/> ts221.childhood_experiences.option:2=2	<input type="radio"/> ts221.childhood_experiences.option:2=3
I was a target of sexual harassment or sexual violence	<input type="radio"/> ts221.childhood_experiences.option:3=1	<input type="radio"/> ts221.childhood_experiences.option:3=2	<input type="radio"/> ts221.childhood_experiences.option:3=3
Someone touched me sexually or made me touch them sexually even though I didn't want to do it	<input type="radio"/> ts221.childhood_experiences.option:4=1	<input type="radio"/> ts221.childhood_experiences.option:4=2	<input type="radio"/> ts221.childhood_experiences.option:4=3
I had an adult who I could talk to about my own matters	<input type="radio"/> ts221.childhood_experiences.option:5=1	<input type="radio"/> ts221.childhood_experiences.option:5=2	<input type="radio"/> ts221.childhood_experiences.option:5=3

60 .
Parents and family: A parent means an adult who was responsible for you. When you answer, think about the parent with whom the issue wa

	never	rarely	sometimes
My parent hurt, belittled or humiliated me.	<input type="radio"/> ts221.childhood_experiences_parents.option:6=1	<input type="radio"/> ts221.childhood_experiences_parents.option:6=2	<input type="radio"/> ts221.childhood_ex
My parent slapped, hit or kicked me , pulled my hair or in some other way hurt me physically	<input type="radio"/> ts221.childhood_experiences_parents.option:7=1	<input type="radio"/> ts221.childhood_experiences_parents.option:7=2	<input type="radio"/> ts221.childhood_ex
My parent slapped, hit or kicked my other parent , pulled their hair or in some other way hurt the other parent physically	<input type="radio"/> ts221.childhood_experiences_parents.option:8=1	<input type="radio"/> ts221.childhood_experiences_parents.option:8=2	<input type="radio"/> ts221.childhood_ex
My parent was intoxicated (drunk or in drugs)	<input type="radio"/> ts221.childhood_experiences_parents.option:9=1	<input type="radio"/> ts221.childhood_experiences_parents.option:9=2	<input type="radio"/> ts221.childhood_ex
My family had financial problems	<input type="radio"/> ts221.childhood_experiences_parents.option:10=1	<input type="radio"/> ts221.childhood_experiences_parents.option:10=2	<input type="radio"/> ts221.childhood_ex
I had to go hungry or wear dirty or	<input type="radio"/> ts221.childhood_experiences_parents.option:11=1	<input type="radio"/> ts221.childhood_experiences_parents.option:11=2	<input type="radio"/> ts221.childhood_ex

	never	rarely	sometimes
broken clothes			
A member of my family had mental health problems, for example, depression or self-destructive behaviour	<input type="radio"/> ts221.childhood_experiences_parents.option:12=1	<input type="radio"/> ts221.childhood_experiences_parents.option:12=2	<input type="radio"/> ts221.childhood_ex
I suffered from losing a parent, for example, because of a divorce, abandonment or death	<input type="radio"/> ts221.childhood_experiences_parents.option:13=1	<input type="radio"/> ts221.childhood_experiences_parents.option:13=2	<input type="radio"/> ts221.childhood_ex
I was appreciated and considered important at home	<input type="radio"/> ts221.childhood_experiences_parents.option:14=1	<input type="radio"/> ts221.childhood_experiences_parents.option:14=2	<input type="radio"/> ts221.childhood_ex

If responding to the survey made you want to talk about the topic more, you can contact the healthcare and social welfare services of your region or the Crisis Helpline tel. 09 2525 0111. If you have experienced violence, you can contact Nollalinja tel. 080 005 005.

Comments on the questions on this page: ts221.marginal_notes.note:5

LIFESTYLE

61 .

How many hours on average do you sit in a weekday? Mark 0 if not at all.

	hours	minutes
during the working day or day at studies	<input type="text"/> ts221.sitting.hour:1	<input type="text"/> ts221.sitting.minute:1
in front of the TV, a computer, or a smart device in your free time	<input type="text"/> ts221.sitting.hour:2	<input type="text"/> ts221.sitting.minute:2
in a vehicle	<input type="text"/> ts221.sitting.hour:3	<input type="text"/> ts221.sitting.minute:3
other sitting	<input type="text"/> ts221.sitting.hour:4	<input type="text"/> ts221.sitting.minute:4

62 . How much do you exercise and stress yourself physically in your leisure time?

In my leisure time I read, watch TV and do other activities in which I do not move much and which do not strain me physically

ts221.exercise_freetime=1

In my leisure time I walk, cycle and move in other ways several hours a week. This includes walking, fishing and hunting, and light home gardening. ts221.exercise_freetime=2

In my leisure time I exercise several hours a week. This includes running, jogging, cross country skiing, fitness training, swimming, ball games, and strenuous garden work. ts221.exercise_freetime=3

In my leisure time I practice regularly strenuous sport several times per week. This includes competitive sports such as running, orienteering, cross country skiing, swimming and ball games. ts221.exercise_freetime=4

63 .

How often do you engage in the following (leisure time) activities? Please give your answers separately for summer and winter.

IN SUMMER

	rarely or never	a few times a month	once a week
Incidental exercise indoors or out in the garden	<input type="radio"/> ts221.exercise_alternatives_summer22.options:1=1	<input type="radio"/> ts221.exercise_alternatives_summer22.options:1=2	<input type="radio"/> ts221.exercise_a
Walking, Nordic walking, walking to work	<input type="radio"/> ts221.exercise_alternatives_summer22.options:2=1	<input type="radio"/> ts221.exercise_alternatives_summer22.options:2=2	<input type="radio"/> ts221.exercise_a
Bicycling, spinning, bicycling to work, running errands by bicycle	<input type="radio"/> ts221.exercise_alternatives_summer22.options:3=1	<input type="radio"/> ts221.exercise_alternatives_summer22.options:3=2	<input type="radio"/> ts221.exercise_a

	rarely or never	a few times a month	once a week
Jogging, running, orienteering	<input type="radio"/> ts221.exercise_alternatives_summer22.options:4=1	<input type="radio"/> ts221.exercise_alternatives_summer22.options:4=2	<input type="radio"/> ts221.exercise_a
Swimming, other water sports	<input type="radio"/> ts221.exercise_alternatives_summer22.options:5=1	<input type="radio"/> ts221.exercise_alternatives_summer22.options:5=2	<input type="radio"/> ts221.exercise_a
Skiing and skating	<input type="radio"/> ts221.exercise_alternatives_summer22.options:6=1	<input type="radio"/> ts221.exercise_alternatives_summer22.options:6=2	<input type="radio"/> ts221.exercise_a
Ball games	<input type="radio"/> ts221.exercise_alternatives_summer22.options:7=1	<input type="radio"/> ts221.exercise_alternatives_summer22.options:7=2	<input type="radio"/> ts221.exercise_a
Workout, muscle strengthening exercises	<input type="radio"/> ts221.exercise_alternatives_summer22.options:8=1	<input type="radio"/> ts221.exercise_alternatives_summer22.options:8=2	<input type="radio"/> ts221.exercise_a
Group exercise, gymnastics, dancing, combat sports	<input type="radio"/> ts221.exercise_alternatives_summer22.options:9=1	<input type="radio"/> ts221.exercise_alternatives_summer22.options:9=2	<input type="radio"/> ts221.exercise_a

IN WINTER

	rarely or never	a few times a month	once a week
Incidental exercise indoors or out in the garden	<input type="radio"/> ts221.exercise_alternatives_winter22.options:11=1	<input type="radio"/> ts221.exercise_alternatives_winter22.options:11=2	<input type="radio"/> ts221.exercise_alt
Walking, Nordic walking, walking to work	<input type="radio"/> ts221.exercise_alternatives_winter22.options:12=1	<input type="radio"/> ts221.exercise_alternatives_winter22.options:12=2	<input type="radio"/> ts221.exercise_alt
Bicycling, spinning, bicycling to work, running errands by bicycle	<input type="radio"/> ts221.exercise_alternatives_winter22.options:13=1	<input type="radio"/> ts221.exercise_alternatives_winter22.options:13=2	<input type="radio"/> ts221.exercise_alt
Jogging, running, orienteering	<input type="radio"/> ts221.exercise_alternatives_winter22.options:14=1	<input type="radio"/> ts221.exercise_alternatives_winter22.options:14=2	<input type="radio"/> ts221.exercise_alt
Swimming, other water sports	<input type="radio"/> ts221.exercise_alternatives_winter22.options:15=1	<input type="radio"/> ts221.exercise_alternatives_winter22.options:15=2	<input type="radio"/> ts221.exercise_alt
Skiing and skating	<input type="radio"/> ts221.exercise_alternatives_winter22.options:16=1	<input type="radio"/> ts221.exercise_alternatives_winter22.options:16=2	<input type="radio"/> ts221.exercise_alt
Ball games	<input type="radio"/> ts221.exercise_alternatives_winter22.options:17=1	<input type="radio"/> ts221.exercise_alternatives_winter22.options:17=2	<input type="radio"/> ts221.exercise_alt
Workout, muscle strengthening exercises	<input type="radio"/> ts221.exercise_alternatives_winter22.options:18=1	<input type="radio"/> ts221.exercise_alternatives_winter22.options:18=2	<input type="radio"/> ts221.exercise_alt
Group exercise, gymnastics, dancing, combat sports	<input type="radio"/> ts221.exercise_alternatives_winter22.options:19=1	<input type="radio"/> ts221.exercise_alternatives_winter22.options:19=2	<input type="radio"/> ts221.exercise_alt

If you do not study or go to work, proceed to question 66 .

64 . **How long is your journey to work or studies one way? If you work in several locations, estimate the length of your typical journey to work.** ts221.commute_txt km

65 .

On how many days a week do you use the following forms of transport to get to your workplace or study place? Please give your answers se cold seasons (winter conditions).

IN SUMMER CONDITIONS

	on none	on 1–2 days	on 3–4 days
Walking (the entire journey)	<input type="radio"/> ts221.commute_vehicle_summer.options:1=1	<input type="radio"/> ts221.commute_vehicle_summer.options:1=2	<input type="radio"/> ts221.commute_vehicle_summer
Cycling (the entire journey)	<input type="radio"/> ts221.commute_vehicle_summer.options:2=1	<input type="radio"/> ts221.commute_vehicle_summer.options:2=2	<input type="radio"/> ts221.commute_vehicle_summer

	on none	on 1–2 days	on 3–4 days
Public transport, less than 1 km of the journey on foot/by bike	<input type="radio"/> ts221.commute_vehicle_summer.options:3=1	<input type="radio"/> ts221.commute_vehicle_summer.options:3=2	<input type="radio"/> ts221.commute_vehicle_summer
Public transport, more than 1 km of the journey on foot/by bike	<input type="radio"/> ts221.commute_vehicle_summer.options:4=1	<input type="radio"/> ts221.commute_vehicle_summer.options:4=2	<input type="radio"/> ts221.commute_vehicle_summer
Car, driving or as a passenger	<input type="radio"/> ts221.commute_vehicle_summer.options:5=1	<input type="radio"/> ts221.commute_vehicle_summer.options:5=2	<input type="radio"/> ts221.commute_vehicle_summer

IN WINTER CONDITIONS

	on none	on 1–2 days	on 3–4 days
Walking (the entire journey)	<input type="radio"/> ts221.commute_vehicle_winter.options:1=1	<input type="radio"/> ts221.commute_vehicle_winter.options:1=2	<input type="radio"/> ts221.commute_vehicle_winter.option
Cycling (the entire journey)	<input type="radio"/> ts221.commute_vehicle_winter.options:2=1	<input type="radio"/> ts221.commute_vehicle_winter.options:2=2	<input type="radio"/> ts221.commute_vehicle_winter.option
Public transport, less than 1 km of the journey on foot/by bike	<input type="radio"/> ts221.commute_vehicle_winter.options:3=1	<input type="radio"/> ts221.commute_vehicle_winter.options:3=2	<input type="radio"/> ts221.commute_vehicle_winter.option
Public transport, more than 1 km of the journey on foot/by bike	<input type="radio"/> ts221.commute_vehicle_winter.options:4=1	<input type="radio"/> ts221.commute_vehicle_winter.options:4=2	<input type="radio"/> ts221.commute_vehicle_winter.option
Car, driving or as a passenger	<input type="radio"/> ts221.commute_vehicle_winter.options:5=1	<input type="radio"/> ts221.commute_vehicle_winter.options:5=2	<input type="radio"/> ts221.commute_vehicle_winter.option

Comments on the questions on this page: ts221.marginal_notes.note:6

66 . Have you ever smoked in your life?

- no ts221.smoking_during_lifetime=1
 yes ts221.smoking_during_lifetime=2

67 . Have you smoked at least 100 times in your life (cigarettes, cigars, pipe)?

- no ts221.smoking_100_times=1
 yes ts221.smoking_100_times=2

68 . Have you ever smoked regularly (almost daily for at least one year)?

- I have never smoked regularly ts221.smoking_daily_least_oneyear=1
 I have smoked regularly. ts221.smoking_daily_least_oneyear=2
 ts221.smoking_daily_least_oneyear_n years

69 . When did you last smoke? If you smoke constantly, please select the option "yesterday or today".

- yesterday or today ts221.smoking_last_time=1
 2 days to 1 month ago ts221.smoking_last_time=2
 1 month to 6 months ago ts221.smoking_last_time=3
 6 months to one year ago ts221.smoking_last_time=4
 one year to 5 years ago ts221.smoking_last_time=5
 5–10 years ago ts221.smoking_last_time=6
 more than 10 years ago ts221.smoking_last_time=7

70 . Which of the following options best describes principal way you use tobacco or nicotine products?

- I always use the same product (e.g., cigarettes) ts221.smoking_use=1
 I have changed over from one product to a different one (e.g., from cigarettes to e-cigarettes) ts221.smoking_use=2
 I constantly use several products ts221.smoking_use=3
 I keep changing between different products ts221.smoking_use=4

71 . How soon after waking up do you smoke your first cigarette?

- in 5 minutes **ts221.first_cigarette=1**
- in 6 - 30 minutes **ts221.first_cigarette=2**
- in 31 - 60 minutes **ts221.first_cigarette=3**
- more than 60 minutes after waking up **ts221.first_cigarette=4**

72 .

How much on average per day do you smoke?

Mark all tobacco products you are using. If you have not used the product at all, please mark 0.

	per day	
manufactured cigarettes	<input type="text"/>	ts221.smoking_daily.n:1
self-rolled cigarettes	<input type="text"/>	ts221.smoking_daily.n:2
pipefuls	<input type="text"/>	ts221.smoking_daily.n:3
cigars	<input type="text"/>	ts221.smoking_daily.n:4

73 . Is it difficult for you to refrain from smoking in places where smoking is banned?

- yes **ts221.without_smoking_difficult=1**
- no **ts221.without_smoking_difficult=2**

74 . Which cigarette is the most difficult for you to give up?

- the first of the morning **ts221.giving_up_cigarette=1**
- some other cigarette **ts221.giving_up_cigarette=2**

75 . Do you usually have a habit of smoking more frequently in the first hours after waking than at other times of day?

- yes **ts221.smoking_more=1**
- no **ts221.smoking_more=2**

76 . Do you smoke even when you are so ill that you have to stay in bed for most of the day?

- yes **ts221.smoking_ill=1**
- no **ts221.smoking_ill=2**

77 . Would you like to quit smoking?

- no **ts221.smoking_will_stop=1**
- yes **ts221.smoking_will_stop=2**
- I don't know **ts221.smoking_will_stop=3**

78 . Have you ever seriously tried to quit smoking and abstained from smoking for at least 24 hours? If you have, when was the last time?

- during the past month **ts221.smoking_try_stop=1**
- 1 month – half a year ago **ts221.smoking_try_stop=2**
- half a year ago – one year ago **ts221.smoking_try_stop=3**
- more than one year ago **ts221.smoking_try_stop=4**
- never **ts221.smoking_try_stop=5**

79 . Which of the following methods did you use last time when you quit/tried to quit smoking? You may choose one or more alternatives.

- I have not tried to quit smoking **ts221.smoking_stop_help.set:1**
- I did not use any support **ts221.smoking_stop_help.set:2**
- support from a healthcare professional (not medicinal, e.g., advice) **ts221.smoking_stop_help.set:3**
- nicotine replacement therapy (e.g., chewing gum, patch) **ts221.smoking_stop_help.set:4**
- prescription medicines for giving up smoking **ts221.smoking_stop_help.set:5**
- advisory helpline **ts221.smoking_stop_help.set:6**
- websites **ts221.smoking_stop_help.set:7**
- peer support **ts221.smoking_stop_help.set:8**
- snus (Swedish type moist snuff) **ts221.smoking_stop_help.set:9**
- e-cigarette (electronic cigarette) **ts221.smoking_stop_help.set:10**
- heated tobacco products **ts221.smoking_stop_help.set:11**
- some other method or product **ts221.smoking_stop_help.set:12**

80 .

How many hours do you daily spend in indoor spaces where you have to inhale other people's smoke?

If not at all, mark 0. Round your answer to the nearest full hour.

	hours	
at work	<input type="text"/>	ts221.smoking_exposure.hour:1
at home	<input type="text"/>	ts221.smoking_exposure.hour:2
other places	<input type="text"/>	ts221.smoking_exposure.hour:3

Comments on the questions on this page: **ts221.marginal_notes.note:7**

81 . Choose the option that best describes your alcohol consumption.

- I have been a non-drinker all my life (or tasted alcohol not more than 10 times during my life). **ts221.alcohol_usage=1**
- I used to drink alcoholic beverages before but I have given it up **ts221.alcohol_usage=2**
 ts221.alcohol_usage_end_txt years ago
- I have used alcoholic beverages and continue to use them **ts221.alcohol_usage=3**

82 .

How many glasses (restaurant measures) or bottles did you drink during the last 7 days of the following? (If not at all, mark 0.)

	unit
beer, bottles/cans (1/3 litre)	<input type="text"/> ts221.alcohol_amount_units.unit:1
cider, long drink or a similar mixed drink: bottles/cans (1/3 litre)	<input type="text"/> ts221.alcohol_amount_units.unit:2
wine: glasses (1 glass = approx. 12 cl)	<input type="text"/> ts221.alcohol_amount_units.unit:3
spirits: standard measures (approx. 4 cl)	<input type="text"/> ts221.alcohol_amount_units.unit:4

83 .
Over the past 12 months, how often have you used...

	I have never in my whole life tried or used them	not once in the past 12 months	less than once a month	month
sleeping pills or sedatives (benzodiazepines or similar) to get intoxicated?	<input type="radio"/> ts221.drugs_intoxicated.options:1=1	<input type="radio"/> ts221.drugs_intoxicated.options:1=2	<input type="radio"/> ts221.drugs_intoxicated.options:1=3	<input type="radio"/> ts2
strong painkillers (opioids) to get intoxicated?	<input type="radio"/> ts221.drugs_intoxicated.options:2=1	<input type="radio"/> ts221.drugs_intoxicated.options:2=2	<input type="radio"/> ts221.drugs_intoxicated.options:2=3	<input type="radio"/> ts2

Comments on the questions on this page: ts221.marginal_notes.note:8

84 .
What time do you usually fall asleep?

	at
on workdays or weekdays at (e.g. 22:30)	<input type="text"/> ts221.going_to_bed22.time:1
on days off or weekends at (e.g. 23:20)	<input type="text"/> ts221.going_to_bed22.time:2

85 .
What time do you usually wake up?

	at
on workdays or weekdays at (e.g. 07:15)	<input type="text"/> ts221.getting_out_of_bed22.time:1
on days off or weekends at (e.g. 10:30)	<input type="text"/> ts221.getting_out_of_bed22.time:2

86 .
If you could choose freely without any obligations and sleep without an alarm clock, what time would it be most natural for you to fall asleep and wake up?

	at
I would fall asleep at about (e.g., 23:20)	<input type="text"/> ts221.sleep_aware_natural.time:1
I would wake up at about (e.g., 07:20)	<input type="text"/> ts221.sleep_aware_natural.time:2

87 . There are so-called "morning people" (early to rise, early to bed) and "evening people" (late to rise, late to bed). Which are you?

- absolutely a "morning person" ts221.early_or_late_bird=1
- more "morning" than "evening person" ts221.early_or_late_bird=2
- more "evening" than "morning person" ts221.early_or_late_bird=3
- absolutely an "evening person" ts221.early_or_late_bird=4

88 . Do you snore loudly?

- yes ts221.snoring_loudly=1
- no ts221.snoring_loudly=2

89 . Has anyone noticed that you stop breathing, gasp for air or cough and wheeze when you sleep?

- no ts221.apnea22=1
- yes ts221.apnea22=2

90 .
How different are the following things for you at different times of the year, in other words, how much do they vary according to the season?

	no change	changes somewhat	changes clearly	consider
duration of sleep	<input type="radio"/> ts221.meaning_of_season.options:1=0	<input type="radio"/> ts221.meaning_of_season.options:1=1	<input type="radio"/> ts221.meaning_of_season.options:1=2	<input type="radio"/> ts22
social activity	<input type="radio"/> ts221.meaning_of_season.options:2=0	<input type="radio"/> ts221.meaning_of_season.options:2=1	<input type="radio"/> ts221.meaning_of_season.options:2=2	<input type="radio"/> ts22
mood (general feeling of well-being)	<input type="radio"/> ts221.meaning_of_season.options:3=0	<input type="radio"/> ts221.meaning_of_season.options:3=1	<input type="radio"/> ts221.meaning_of_season.options:3=2	<input type="radio"/> ts22
weight	<input type="radio"/> ts221.meaning_of_season.options:4=0	<input type="radio"/> ts221.meaning_of_season.options:4=1	<input type="radio"/> ts221.meaning_of_season.options:4=2	<input type="radio"/> ts22
appetite	<input type="radio"/> ts221.meaning_of_season.options:5=0	<input type="radio"/> ts221.meaning_of_season.options:5=1	<input type="radio"/> ts221.meaning_of_season.options:5=2	<input type="radio"/> ts22
energy to do things	<input type="radio"/> ts221.meaning_of_season.options:6=0	<input type="radio"/> ts221.meaning_of_season.options:6=1	<input type="radio"/> ts221.meaning_of_season.options:6=2	<input type="radio"/> ts22

91 . If you have experienced any of the above mentioned changes according to different seasons, how much of a problem is it for you?

- I haven't experienced any seasonal variation **ts221.seasonal_variation_problem=0**
- I have experienced seasonal variation, but it is not a problem **ts221.seasonal_variation_problem=1**
- a slight problem **ts221.seasonal_variation_problem=2**
- a moderate problem **ts221.seasonal_variation_problem=3**
- a significant problem **ts221.seasonal_variation_problem=4**
- a serious problem **ts221.seasonal_variation_problem=5**

92 .
In the past 12 months, has a healthcare professional recommended for health reasons that you should...

	no	yes
exercise more	<input type="radio"/> ts221.request_of_lifestyle_change22.set:1=1	<input type="radio"/> ts221.request_of_lifestyle_change22.set:1=2
change your eating habits	<input type="radio"/> ts221.request_of_lifestyle_change22.set:2=1	<input type="radio"/> ts221.request_of_lifestyle_change22.set:2=2
change your sleeping habits	<input type="radio"/> ts221.request_of_lifestyle_change22.set:6=1	<input type="radio"/> ts221.request_of_lifestyle_change22.set:6=2
lose weight	<input type="radio"/> ts221.request_of_lifestyle_change22.set:3=1	<input type="radio"/> ts221.request_of_lifestyle_change22.set:3=2
reduce consumption of alcohol	<input type="radio"/> ts221.request_of_lifestyle_change22.set:4=1	<input type="radio"/> ts221.request_of_lifestyle_change22.set:4=2
quit smoking	<input type="radio"/> ts221.request_of_lifestyle_change22.set:5=1	<input type="radio"/> ts221.request_of_lifestyle_change22.set:5=2

93 .
Have you received support from a healthcare professional to

	I have not needed it	I would have needed but did not receive any	I have received support but not en
exercise more	<input type="radio"/> ts221.request_of_lifestyle_support.set:1=1	<input type="radio"/> ts221.request_of_lifestyle_support.set:1=2	<input type="radio"/> ts221.request_of_lifestyle_support
change your eating habits	<input type="radio"/> ts221.request_of_lifestyle_support.set:2=1	<input type="radio"/> ts221.request_of_lifestyle_support.set:2=2	<input type="radio"/> ts221.request_of_lifestyle_support
change your sleeping habits	<input type="radio"/> ts221.request_of_lifestyle_support.set:3=1	<input type="radio"/> ts221.request_of_lifestyle_support.set:3=2	<input type="radio"/> ts221.request_of_lifestyle_support
manage your weight, lose weight	<input type="radio"/> ts221.request_of_lifestyle_support.set:4=1	<input type="radio"/> ts221.request_of_lifestyle_support.set:4=2	<input type="radio"/> ts221.request_of_lifestyle_support
reduce your consumption of alcohol	<input type="radio"/> ts221.request_of_lifestyle_support.set:5=1	<input type="radio"/> ts221.request_of_lifestyle_support.set:5=2	<input type="radio"/> ts221.request_of_lifestyle_support
quit smoking	<input type="radio"/> ts221.request_of_lifestyle_support.set:6=1	<input type="radio"/> ts221.request_of_lifestyle_support.set:6=2	<input type="radio"/> ts221.request_of_lifestyle_support
improve your mental well-being	<input type="radio"/> ts221.request_of_lifestyle_support.set:7=1	<input type="radio"/> ts221.request_of_lifestyle_support.set:7=2	<input type="radio"/> ts221.request_of_lifestyle_support
maintain your memory with "brain exercises"	<input type="radio"/> ts221.request_of_lifestyle_support.set:9=1	<input type="radio"/> ts221.request_of_lifestyle_support.set:9=2	<input type="radio"/> ts221.request_of_lifestyle_support
give up gambling	<input type="radio"/> ts221.request_of_lifestyle_support.set:10=1	<input type="radio"/> ts221.request_of_lifestyle_support.set:10=2	<input type="radio"/> ts221.request_of_lifestyle_support

Comments on the questions on this page: **ts221.marginal_notes.note:9**

ACCIDENTS

94 .
Do you use any of the following protective or safety equipment?

	always	often	sometimes	not at al
a helmet when riding a bicycle	<input type="radio"/> ts221.safety equipments.options:1=1	<input type="radio"/> ts221.safety equipments.options:1=2	<input type="radio"/> ts221.safety equipments.options:1=3	<input type="radio"/> ts221
a safety belt when travelling by car	<input type="radio"/> ts221.safety equipments.options:2=1	<input type="radio"/> ts221.safety equipments.options:2=2	<input type="radio"/> ts221.safety equipments.options:2=3	<input type="radio"/> ts221
a flotation/life jacket in a boat	<input type="radio"/> ts221.safety equipments.options:3=1	<input type="radio"/> ts221.safety equipments.options:3=2	<input type="radio"/> ts221.safety equipments.options:3=3	<input type="radio"/> ts221
studded footwear or ice grips when walking outdoors in slippery conditions	<input type="radio"/> ts221.safety equipments.options:4=1	<input type="radio"/> ts221.safety equipments.options:4=2	<input type="radio"/> ts221.safety equipments.options:4=3	<input type="radio"/> ts221

	always	often	sometimes	not at all
a reflector or reflective clothing when moving around in the dark	<input type="radio"/> ts221.safety equipments.options:5=1	<input type="radio"/> ts221.safety equipments.options:5=2	<input type="radio"/> ts221.safety equipments.options:5=3	<input type="radio"/> ts221

95 . Over the past 12 months, have you had any of the following accidents, as a result of which you have seen a doctor, a nurse or a public health nurse? You can choose multiple options

- A traffic accident ts221.accidents_12mo22.option:1
- An accident at work or on the way to or from work (not a traffic accident) ts221.accidents_12mo22.option:3
- An accident indoors or outdoors at home ts221.accidents_12mo22.option:6
- Sporting accident indoors or outdoors (fitness training or competitive sports) ts221.accidents_12mo22.option:9
- Other leisure time accident ts221.accidents_12mo22.option:11
- none of the above ts221.accidents_12mo22.option:12

96 . Over the past 12 months, on how many days was it impossible or very difficult for you to cope with your daily tasks and duties because of the injuries caused by the accident?

If none, answer 0. ts221.injury_consequence_days days

Comments on the questions on this page: ts221.marginal_notes.note:10

SEXUAL AND REPRODUCTIVE HEALTH

97 . Which contraceptive method are you currently using or have used in the past 12 months? Enter methods used by yourself and your partner/partners. You can choose multiple options

- does not concern me ts221.birth_controls22.option:8
- nothing ts221.birth_controls22.option:9
- contraceptive pills (combination and mini pills) vaginal ring, contraceptive patch, hormonal intrauterine contraceptive device, hormonal capsule ts221.birth_controls22.option:1
- an intrauterine device ts221.birth_controls22.option:3
- condoms ts221.birth_controls22.option:4
- postcoital contraception ("morning-after pills") ts221.birth_controls22.option:5
- sterilization (you or your partner) ts221.birth_controls22.option:6
- some other method ts221.birth_controls22.option:7

98 . Have you had sex in the past 12 months? You can choose multiple options

- I have not had sex ts221.sex_life22.option:1
- yes, masturbation/solo sex ts221.sex_life22.option:2
- yes, with a person/persons of the same sex ts221.sex_life22.option:3
- Yes, with a person/persons of a different sex ts221.sex_life22.option:4

99 . Over the past 12 months, have you engaged in the following? You can choose multiple options

- vaginal intercourse ts221.intercourse_alternatives.options:1
- anal intercourse ts221.intercourse_alternatives.options:2
- oral sex ts221.intercourse_alternatives.options:3
- none of the above ts221.intercourse_alternatives.options:4

100 . Over the past 12 months, with how many partners have you had sexual intercourse?
ts221.intercourse_people With person/people

This is the end of the questionnaire for men. Select "Send" on the next page.
There are still some questions for women.

Comments on the questions on this page: ts221.marginal_notes.note:11

QUESTIONS FOR WOMEN

101 . How many times... Mark 0 if none. If you are currently pregnant, include it in the number of pregnancies.

I have been pregnant ts221.preg_amount_txt times and given birth ts221.labor_amount_txt times

I have had an abortion ts221.abort_amount_txt times

I have miscarried ts221.miscarr_amount_txt times and had an ectopic pregnancy
ts221.ectopic_preg_amount_txt times

102 . In total, how long have you breastfed your child/all children?

- I have never breastfed a child ts221.breastfeeding_time22=1
- I have breastfed for a total of ts221.breastfeeding_time22=3
 ts221.breastfeeding_year years ts221.breastfeeding_month months

103 . For how long have you used the following hormone therapies in your life?

- I have not used any ts221.women_hormonal.set:1
- contraceptive pills (combination and mini tablets), vaginal ring or a contraceptive patch ts221.women_hormonal.set:2
 ts221.women_horm_pills_txt years

- a hormonal intrauterine contraception device or a hormone capsule **ts221.women_hormonal.set:3**
 ts221.women_spiral_txt years
- oestrogen applied on the skin (e.g., for menopausal symptoms) **ts221.women_hormonal.set:4**
 ts221.women_estrogen_skin_txt years
- oestrogen taken orally (e.g., for menopausal symptoms) **ts221.women_hormonal.set:5**
 ts221.women_estrogen_pills_txt years

104 . **Have you experienced any of the following continuously for at least one year at some point in your life? You can choose multiple options**

- no, I have not **ts221.women_symptoms.option:1**
- severe pain during the period or ovulation (when the egg is released, about 14 days from the start of the period)
ts221.women_symptoms.option:2
- continuous pain in the pelvic region or in the lower abdomen **ts221.women_symptoms.option:3**
- heavy periods **ts221.women_symptoms.option:4**
- pain when urinating or passing stool **ts221.women_symptoms.option:5**
- pain in the lower abdomen or genital area, during sex and/or pain caused by vibration **ts221.women_symptoms.option:6**

Remember to save the questionnaire by selecting "Send".
THANK YOU FOR RESPONDING!!

Comments on the questions on this page: **ts221.marginal_notes.note:12**